



40TH ANNIVERSARY EDITION





# 40 YEARS OF CALF MANAGEMENT EXPERTISE

## Partnering with calf professionals to design the most innovative calf housing options

As we celebrate our 40th anniversary, we reflect on the years of learning, innovation and growth. We've learned to listen, because of you, the most progressive farmer who puts the calf first. Innovation follows as we've prioritized the welfare of the calf – producing industry leading product. We continue to grow and expand our product offering as we listen to your needs. We look forward to the next 40 years of producing the best calf housing options for you, from you, the calf professional.

Calf-Tel®. Heart Meets Smart.





# CONTENTS

THIS IS WHAT MAKES IT A CALF-TEL®		4
SYMBOLS		5
<b>PRODUCT COMPARISON</b>	HOUSING CUSTOMIZER	6
<b>O-SERIES</b>	OVERVIEW	10
OUTDOOR HUTCHES	20 64	12
	24 74	14
	35 85	18
<b>GROUP HOUSING</b>	54 98	20
<b>I-SERIES</b>	OVERVIEW	22
INDOOR PENS	16 44, 19 54	25
	22 64, 26 74	26
	30 84	27
	BREEZEWAYS	28
<b>S-SERIES</b>	15 54	30
STARTER SYSTEMS	30 58	32
<b>C-SERIES</b>		34
CONTAINMENT FENCES		
<b>SPECIAL ORDER PRODUCTS</b>	14 53, 20 64 EFI	40
	17 54	41
<b>ACCESSORIES</b>		42
TIMELINE: 1981-2021		44
CONTACT		46

# THIS IS WHAT MAKES IT A CALF-TEL®

## We Go with the Flow

Ventilation is critical in limiting respiratory illness and eliminating heat stress. The flow of air is strategically engineered into Calf-Tel® hutches, our NEW 24174 was designed with an extra-large ventilation opening (largest in the industry) for maximum comfort and breathability. Our indoor pen systems feature the AirMax panel for improved air-flow in challenging conditions.

## We Promote Biosecurity


Calf-Tel's smooth surfaces don't have any pores, making them not only impervious to said undesirables, but super-easy to clean and maintain. When combined with proper management practices, calf raisers have found that our housing systems contribute to lower mortality, morbidity and overall treatment costs leading to enhanced calf growth.

## Money Talks

For 40 years, Calf-Tel® has been developing products that are built to stand the test of time. Longer lasting product leads to lower lifetime costs. Combine this with the cost savings and benefits of superior calf health and you can see why approximately 2 million calves are raised in Calf-Tel® housing systems worldwide each year.



- Superior Ventilation
- Exzellente Belüftung
- Превосходная вентиляция
- Ventilación superior
- Ventilation supérieure
- Ventilazione superiore
- Doskonała wentylacja
- Superior szellőzés
- Vynikající ventilace



- Opacity for UV Protection
- Blockiert UV Strahlung
- Блокирует УФ-излучение
- Bloquea la radiación UV
- Bloque le rayonnement UV
- Blocca la radiazione UV
- Blokuje promieniowanie UV
- Az UV sugárzást blokkolja
- Blokuje UV záření



- Easy to clean
- Leicht zu reinigen
- Легко очистить
- Fácil de limpiar
- Facile à nettoyer
- Facile da pulire
- Łatwe do czyszczenia
- Könnyen tisztítható
- Snadno se čistí




- Superior Durability
- Hervorragende Haltbarkeit
- Превосходная долговечность
- Durabilidad superior
- Durabilité supérieure
- Durata superiore
- Doskonała wytrzymałość
- Vynikající trvanlivost






# SYMBOLS


## Product Features & Benefits




- Suitable for small breeds
- Geeignet für kleine Rassen
- Подходит для небольших пород
- Adecuado para razas pequeñas
- Convient aux petites races
- Adatto a piccole razze
- Odpowiedni dla małych ras
- Alkalmas kis fajtákhoz
- Vhodné pro malé plemena



- Suitable for large breeds
- Geeignet für große Rassen
- Подходит для крупных пород
- Adecuado para razas grandes
- Convient aux grandes races
- Adatto a grandi razze
- Odpowiedni dla dużych ras
- Nagy fajtákhoz alkalmas
- Vhodné pro velké plemena




- Suitable for all size breeds
- Geeignet für alle Größen
- Подходит для всех пород
- Adecuado para razas de todos los tamaños
- Convient à toutes les races de taille
- Adatto a tutte le razze taglia
- Odpowiedni dla ras wszystkich rozmiarów
- Minden fajtához alkalmas
- Vhodné pro všechny velikosti plemen




- For group housing
- Für Gruppenhaltung
- Для группового жилья
- Para vivienda grupal
- Pour le logement de groupe
- Per alloggi di gruppo
- Do mieszkania grupowego
- Csoportos házhoz
- Pro skupinové bydlení




- Raise indoors
- Aufzucht drinnen
- Для группового жилья
- Levantar dentro
- Élever à l'intérieur
- Alza al chiuso
- Podnieś w domu
- Emelje fel a helyiségben
- Zvedněte se uvnitř




- For colder climates
- Für kälteres Klima
- Для холодного климата
- Para climas más fríos
- Pour les climats plus froids
- Per climi più freddi
- W chłodniejsze klimaty
- A hidegebb éghajlatoknál
- Pro chladnější klima




- For hotter climates
- Für wärmeres Klima
- Для жаркого климата
- Para climas más cálidos
- Pour les climats plus chauds
- Per climi più caldi
- Dla cieplejszych klimatów
- Forróbb éghajlaton
- Pro horké klima



- For all climates
- Für jedes Klima
- Для каждого климата
- Para todos los climas
- Pour tous les climats
- Per tutti i climi
- Dla wszystkich klimatów
- Minden éghajlatra
- Pro všechna klima



- Time spent in housing
- Dauer der Unterbringung
- Время, проведенное в жилье
- Tiempo dedicado a la vivienda
- Temps passé dans le logement
- Tempo trascorso in casa
- Czas spędzony w mieszkaniu
- A lakásban töltött idő
- Čas strávený v bydlení



- Raise outdoors
- Aufzucht im Freien
- Поднять на открытом воздухе
- Elevar al aire libre
- Élever dehors
- Sollevare all'aperto
- Podnieś na zewnątrz
- Emelje fel a szabadban
- Zvedněte venku

# HOUSING CUSTOMIZER

O-SERIES  
(OUTDOOR)



New Product Name  
(Old Product Name)

Interior Size  
in m<sup>2</sup>

Imperial  
Dimensions

Outside L x W x H

Inside Usable Calf Space

Weight

Base Option



**20 | 64**  
ECO

2.0

6' x 4'

187 x 118 x 137 cm  
73.5" x 46.5" x 54"

179 x 110 x 122 cm  
70.5" x 43.5" x 48"

21 kg  
46 lbs



Piped Base



**35 | 85**  
XXL

3.5

8' x 5'

250 x 154 x 151 cm  
98.5" x 60.5" x 59.5"

243 x 146 x 136 cm  
95.5" x 57.5" x 53.5"

43 kg  
95 lbs



Piped Base

New Product Name  
(Old Product Name)

Interior Size  
in m<sup>2</sup>

Imperial  
Dimensions

Outside L x W x H

Inside Usable  
Calf Space

Weight

Base Options

Front Opening Options



**24 | 74**  
PRO II / DELUXE II

2.4

7' x 4'

223.52 x 128 x 140 cm  
88" x 48" x 55"

212 x 114 x 124 cm  
83.5" x 45" x 49"

35 kg  
78 lbs



Piped  
Base



Full Open



Extrusion  
Base



Right Entry



Left Entry

New Product Name  
(Old Product Name)

Interior Size  
in m<sup>2</sup>

Imperial  
Dimensions

Outside L x W x H

Inside Usable Calf Space

Weight

Base Option



**54 | 98**  
MULTIMAX

5.4

9' x 8'

220 x 273 x 183 cm  
86.5" x 107.5" x 72"

208 x 259 x 180 cm  
82" x 102" x 71"

107 kg  
235 lbs




—

—

GROUP  
HOUSING



Front Opening Options      Rear Door Options      Optional Feed Door      Optional Rear Vents      Optional Bottle Holder      Optional Fences



Rear Door Options      Optional Feed Door      Rear Vents      Optional Bottle Holder      Mega Vent Options      Optional Mega Vent Door      Optional Weather Guard      Optional Ridge Vent Top Cap



COMPATIBLE WITH ALL C-SERIES FENCING  
(SEE PAGES 34-37)

Optional Back Vent      Optional Fences

























# HOUSING CUSTOMIZER (CONTINUED)






I-SERIES  
(INDOOR)



	New Product Name (Old Product Name)	Interior Size in m <sup>2</sup>	Imperial Dimensions	Outside L x W x H	Inside Usable Calf Space	Weight	Pen Front Options
	<b>16   44</b> Maternity Pen	1.6	4.5' x 4'	135 x 122 x 114 cm 4.5' x 4' x 3.75'	—	43 kg 95 lbs	 Standard Gen 3  Compact Breezeway  Standard Breezeway
	<b>19   54</b> 5' Pen	1.9	5' x 4'	152 x 122 x 114 cm 5' x 4' x 3.75'	—	47 kg 103 lbs	 Standard Gen 3  Compact Breezeway  Standard Breezeway
	<b>22   64</b> 6' Pen	2.2	6' x 4'	183 x 122 x 114 cm 6' x 4' x 3.75'	—	Starting at*: 51 kg / 113 lbs	 Standard Gen 3  Compact Breezeway  Standard Breezeway
	<b>26   74</b> 7' Pen	2.6	7' x 4'	213 x 122 x 114 cm 7' x 4' x 3.75'	—	Starting at*: 56 kg / 123 lbs	 Standard Gen 3  Compact Breezeway  Standard Breezeway
	<b>30   84</b> 8' Pen	3.0	8' x 4'	244 x 122 x 114 cm 8' x 4' x 3.75'	—	60 kg 133 lbs	 Standard Gen 3  Compact Breezeway  Standard Breezeway

S-SERIES



























































	New Product Name (Old Product Name)	Interior Size in m <sup>2</sup>	Imperial Dimensions	Outside L x W x H	Inside Usable Calf Space	Weight	Base Options
	<b>15   54</b>	1.5	5' x 4'	152 x 114.3 x 114.3 cm 59.5" x 45" x 45"	137 x 98.56 x 99.5 cm 54" x 38.8" x 39.2"	31 kg 68.5 lbs	 None (Extrusion)  Legs
	<b>30   58</b>	3	5' x 8'	With Legs: 152 x 243.8 x 181 cm 60" x 96" x 71.5" With Wheels: 152 x 243.8 x 191.8 cm 60" x 96" x 75.5"	274 x 197 x 99.5 cm 108" x 77.6" x 39.2"		 Legs

Side Panel Options

Optional Bottle Holder

Back Panel Options

		-									
Solid	Window	-	Chute	Wire	Window	Airmax	Standard Wire	Standard Steel	Standard Enhanced	Compact Wire	Compact Steel
-	-										
-	-	Airmax	Chute	Wire	Window	Airmax	Standard Wire	Standard Steel	Standard Enhanced	Compact Wire	Compact Steel
											
Solid	Window	Airmax	Chute	Wire	Window	Airmax	Standard Wire	Standard Steel	Standard Enhanced	Compact Wire	Compact Steel
											
Solid	Window	Airmax	Chute	Wire	Window	Airmax	Standard Wire	Standard Steel	Standard Enhanced	Compact Wire	Compact Steel
	-										
Solid	-	Airmax	Chute	Wire	Window	Airmax	Standard Wire	Standard Steel	Standard Enhanced	Compact Wire	Compact Steel

Optional Roof

Optional Front Wheels

Optional Bottle

Optional Floor

							
Wheels	None	Roof	Roof with Heat Lamp	Front Wheels for 15154 Only	Chute	Wire	<i>Floor must be used with base</i>
				-			
Wheels	None	Roof	Roof with Heat Lamp	-	Chute	Wire	<i>Floor must be used with base</i>



# CALF-TEL® O-SERIES

20 | 64

24 | 74

35 | 85



**FLAT BACK DOOR** Quick open vent – hutch can be flipped up and stand on end for easy cleaning.



**REAR BEDDING DOOR** XXL-Sized bedding door on the back. Maximum ventilation – comfortable access.




**MEGA VENT DOOR** Available on 24/74 Calf-Tel hutches only. Largest vent opening on the market.



Optional feeding doors on right or left side with inside feeding station.





O-SERIES

### BASE ALTERNATIVES




Fully rigid, steel pipe perimeter base.



New extrusion plastic base with structured flexibility, virtually impervious to destruction.

### SITE LAYOUT EXAMPLES



CELEBRATING  
**40**  
YEARS

**CALF-TEL'S FIRST CALF HUTCH, THE GENERATION I CALF-TEL HUTCH, ORIGINATED IN 1981 AND CAN STILL BE FOUND ON FARMS 40 YEARS LATER.**

Today, we continue to innovate hutches with superior durability, the best ventilation and a variety of sizes and customizable options to fit your operation's needs.




# CALF-TEL® O-SERIES

# 20 | 64



0 – 8 weeks

INTERIOR SIZE IN M <sup>2</sup>	2.0
IMPERIAL DIMENSIONS	6' x 4'
OUTSIDE L x W x H	187 x 118 x 137 cm 73.5" x 46.5" x 54"
INSIDE USABLE CALF SPACE L x W x H	179 x 110 x 122 cm 70.5" x 43.5" x 48"
WEIGHT	19.5 kg 43 lbs



## BASE OPTIONS



Pipe

## FRONT OPENING OPTIONS



Full Open



Right Entry

## REAR DOOR OPTIONS



Bedding Door



Flat Back Door

## LOWER REAR VENT

Not Available

## OPTIONAL FEED DOOR

Not Available

## OPTIONAL FENCES



Classic  
Wire Fence



Classic  
Access Front  
with Wire  
Fence



Elite Direct  
Attach Hutch  
Access



Comfort  
Fence

## PRODUCT FEATURES & BENEFITS




“We know that Calf-Tel hutches raise the healthiest calves and we can rely on them for many many years to come.”

STEFANO BASSANI




O-SERIES

Consider spacing needs between hutches. Keep at least 10 feet / 300 cm between each row and 1 foot / 30 cm between each hutch to prevent calves from touching and reduce the spread of disease. Make sure to allow enough space to access hutches with feeding and bedding equipment to maximize labor efficiency.



■ Feeding Station

Dimensions with standard fence







# CALF-TEL® O-SERIES

# 24|74



0 – 8 weeks

INTERIOR SIZE IN M <sup>2</sup>	2.4
IMPERIAL DIMENSIONS	7' x 4'
OUTSIDE L x W x H	223.52 x 128 x 140 cm 88" x 48" x 55"
INSIDE USABLE CALF SPACE L x W x H	212 x 114 x 124 cm 83.5" x 45" x 49"
WEIGHT	35 kg 78 lbs



## BASE OPTIONS



Pipe



Extrusion

## FRONT OPENING OPTIONS



Full Open



Right Entry



Left Entry

## REAR DOOR OPTIONS



Bedding Door



Flat Back



Mega Vent

## LOWER REAR VENT



No Vents



3 Vents

## OPTIONAL FEED DOOR



Left Feed Door



Right Feed Door

## OPTIONAL BOTTLE HOLDER



Chute



Wire

## OPTIONAL FENCES



Classic Wire Fence



Comfort Fence



Classic Access Front with Wire Fence



Elite Direct Attach Hutch Access



Elite Access Front with Wire Fence




Elite Single Fence




Elite Pairing Fence


## PRODUCT FEATURES & BENEFITS



O-SERIES



Dimensions with  
standard fence



■ Feeding Station






# CALF-TEL® O-SERIES



## UPGRADED FEATURES



ALL-PLASTIC EXTRUSION BASE –  
VIRTUALLY IMPERVIOUS TO DESTRUCTION



ENHANCED RIBBING WITH STRUCTURED  
FLEXIBILITY AND RIGIDITY

## VARIETY OF BACK STYLES



Bedding Door



Flat Back Door



Mega Vent with  
Wire Closure



Mega Vent with Windows



Mega Vent Full Open



# 24 | 74 AIR

## Mega Vent

O-SERIES

Decked out with all available optional features, the 24174 Air includes the Mega Vent – the largest adjustable ventilation opening on the market for maximum airflow, breathability and comfort.

OPTIONAL WEATHER GUARD – PROTECTS CALF FROM THE ELEMENTS



OPTIONAL ADJUSTABLE TOP RIDGE VENT – ADDED BREATHABILITY AND VENTILATION



OPTIONAL MEGA VENT DOOR – SECURE YOUR HUTCH AND ADJUST VENTILATION



OPTIONAL REAR WIRE CLOSURE KEEPS THE CALF SAFE AND SECURE INSIDE THE HUTCH



OPTIONAL LOWER VENTS; AVAILABLE WITH OR WITHOUT 3 VENT OPENINGS


### COMPATIBLE CONTAINMENT FENCES



Comfort Fence




Classic Wire Fence




Elite Single Fence



Elite Pairing Fence



Elite Access Front with Wire Fence



Classic Access Front with Wire Fence



Elite Direct Attach Hutch Access




# CALF-TEL® O-SERIES

## 35 | 85



0 – 12 weeks



INTERIOR SIZE IN M <sup>2</sup>	3.5
IMPERIAL DIMENSIONS	8' x 5'
OUTSIDE L x W x H	250 x 154 x 151 cm 98.5" x 60.5" x 59.5"
INSIDE USABLE CALF SPACE L x W x H	243 x 146 x 136 cm 95.5" x 57.5" x 53.5"
WEIGHT	43 kg 94 lbs

### BASE OPTIONS



Pipe

### FRONT OPENING OPTIONS



Full Open



Right Entry



Left Entry

### REAR DOOR OPTIONS



Bedding Door

### LOWER REAR VENT



Optional

### OPTIONAL FEED DOOR



Left Feed Door



Right Feed Door

### OPTIONAL BOTTLE HOLDER



Chute



Wire

### OPTIONAL FENCES



Classic Wire Fence



Comfort Fence



Classic Access Front with Wire Fence



Elite Direct Attach Hutch Access



Elite Access Front with Wire Fence




Elite Single Fence




Elite Pairing Fence

## PRODUCT FEATURES & BENEFITS




Dimensions with standard fence





# GROUP HOUSING

# 54 | 98



INTERIOR SIZE IN M <sup>2</sup>	5.4
IMPERIAL DIMENSIONS	9' x 8'
OUTSIDE L x W x H	220 x 273 x 183 cm 86.5" x 107.5" x 72"
INSIDE USABLE CALF SPACE	208 x 259 x 180 cm
L x W x H	82" x 1025" x 718"
WEIGHT	107 kg 235 lbs

— Outer dimensions

## OPTIONAL BACK VENT



Upper Back Vent Doors




Closed Back

## OPTIONAL FENCING




Comfort Fence





## PRODUCT FEATURES & BENEFITS




“Calf-Tel is the best value.  
The product is healthy for  
the calf and easy for the  
producer.”


STANISLAW KASPROVICZ



### COMMON WAYS THE 54|98 IS USED:



**Prepared Site:** Place the 54|98 on a well-drained surface (gravel, crushed stone or sand). This will keep calves dry and healthy. Outside fencing required.



**Rotating Site:** Place one 54|98 in a small pasture and move the unit and its pen periodically.

*For Fence options see page 30*



**Large Common Pasture:** Place multiple 54|98 in a large pasture with bigger groups. Position the units near each other, as the herd will not separate to housing in different locations.


CELEBRATING  
**40**  
YEARS

WITH THE HELP OF RESEARCH FROM CALF PROFESSIONALS LIKE YOU, CALF-TEL DEVELOPED OUR FIRST GROUP HOUSING OPTION IN 1997.

As we learned how calves benefit from socializing with their peers, our offerings expanded into fencing to help farmers raise healthy, productive future herd members.



# CALF-TEL® I-SERIES



Compact Breezeway Front Panels shown with optional Chute Bottle Holders and Direct Attach Pails.



Breezeway Compact Front Panel & Back Panel




Breezeway Standard Front Panel & Back Panel

## STANDARD BACK PANEL




6-way door




Slots on the side wall for ventilation and tactile contact.

## AIRMAX BACK PANEL



## SITE LAYOUTS



■ Feeding Station

When using the AirMax back, the pen system can only be configured side-by-side.



Customized fit between front panels and rear panels using L-Rod connector.

CELEBRATING  
**40**  
YEARS

**DESIGNED AND PRODUCED FIRST IN 2006, CALF-TEL RECOGNIZED THAT RAISING CALVES INDOORS WAS BECOMING MORE POPULAR.**

Now, three generations of pens later, 5 sizes of side offerings, 7 back options and 3 choices of fronts, Calf-Tel has revolutionized the indoor calf housing industry.







# CALF-TEL® I-SERIES



## PRODUCT FEATURES & BENEFITS



## THE GROUP LOOP







I-SERIES



0 - 30 DAYS



# 16 | 44

INTERIOR SIZE IN M <sup>2</sup>	1.6
IMPERIAL DIMENSIONS	4.5' x 4'
OUTSIDE L x W x H	135 x 122 x 114 cm   4.5' x 4' x 3.75'
WEIGHT	43 kg   95 lbs



0 - 60 DAYS



# 19 | 54

INTERIOR SIZE IN M <sup>2</sup>	1.9
IMPERIAL DIMENSIONS	5' x 4'
OUTSIDE L x W x H	152 x 122 x 114 cm   5' x 4' x 3.75'
WEIGHT	47 kg   103 lbs

### PEN FRONT OPTIONS



Standard Gen 3



Compact Breezeway



Standard Breezeway

### SIDE PANEL OPTIONS



Solid



Windows

### BACK PANEL OPTIONS



Windows



AirMax



Standard Wire



Standard Steel



Standard Enhanced



Compact Wire



Compact Steel

### OPTIONAL BOTTLE HOLDER



Chute Only with Breezeway



Wire Fence Mount Options

### PEN FRONT OPTIONS



Standard Gen 3



Compact Breezeway



Standard Breezeway

### SIDE PANEL OPTIONS



Solid



Windows

### BACK PANEL OPTIONS



Windows



AirMax



Standard Wire



Standard Steel



Standard Enhanced



Compact Wire



Compact Steel

### OPTIONAL BOTTLE HOLDER



Chute



Wire



# CALF-TEL® I-SERIES



0-60 DAYS



## 22 | 64

INTERIOR SIZE IN M <sup>2</sup>	2.2
IMPERIAL DIMENSIONS	6' x 4'
OUTSIDE L x W x H	183 x 122 x 114 cm   6' x 4' x 3.75'
WEIGHT	Starting at 51 kg   113 lbs



0-60 DAYS



## 26 | 74

INTERIOR SIZE IN M <sup>2</sup>	2.6
IMPERIAL DIMENSIONS	7' x 4'
OUTSIDE L x W x H	213 x 122 x 114 cm   7' x 4' x 3.75'
WEIGHT	Starting at 56 kg   123 lbs

### PEN FRONT OPTIONS



Standard Gen 3



Compact Breezeway



Standard Breezeway

### SIDE PANEL OPTIONS



Solid



Windows



Airmax

### BACK PANEL OPTIONS



Windows



AirMax



Standard Wire



Standard Steel



Standard Enhanced



Compact Wire



Compact Steel

### OPTIONAL BOTTLE HOLDER



Chute Only with Breezeway



Wire Fence Mount Options

### PEN FRONT OPTIONS



Standard Gen 3



Compact Breezeway



Standard Breezeway

### SIDE PANEL OPTIONS



Solid



Windows



Airmax

### BACK PANEL OPTIONS



Windows



AirMax



Standard Wire



Standard Steel



Standard Enhanced



Compact Wire



Compact Steel

### OPTIONAL BOTTLE HOLDER



Chute Only with Breezeway



Wire Fence Mount Options



# 30 | 84

INTERIOR SIZE IN M <sup>2</sup>	3.0
IMPERIAL DIMENSIONS	8' x 4'
OUTSIDE L x W x H	244 x 122 x 114 cm   8' x 4' x 3.75'
WEIGHT	60 kg   133 lbs

#### PEN FRONT OPTIONS



Standard Gen 3



Compact Breezeway



Standard Breezeway

#### SIDE PANEL OPTIONS



Solid



Windows



Airmax

#### BACK PANEL OPTIONS



Windows



AirMax



Standard Wire



Standard Steel



Standard Enhanced



Compact Wire



Compact Steel

#### OPTIONAL BOTTLE HOLDER



Chute Only with Breezeway



Wire Fence Mount Options



I-SERIES



**“We bought our first Calf-Tel product in 2007 and recommend Calf-Tel because it’s easy to use, practical, functional and easy to clean. The calves are easily accessible and you have a good overview of the whole herd.”**

RUB PAULMAIER







# CALF-TEL® I-SERIES

## BREEZEWAY Indoor Pen System



### Compact **BREEZEWAY** Panels

FRONT AND BACK PANEL  
DIMENSIONS W x H

81.3 x 114.3 cm | 32" x 45"

PEN FRONT WEIGHT

12 kg | 26 lbs

#### SIDE PANEL OPTIONS

Fits all Calf-Tel Pen side sizes



Solid




Windows




Airmax

#### BACK PANEL OPTIONS



Wire – 6 kg | 13 lbs



Steel – 11 kg | 24 lbs

#### OPTIONAL ACCESSORIES



Chute



Direct Attach Pail





## Standard **BREEZEWAY** Panels

FRONT AND BACK PANEL  
DIMENSIONS W x H

117.47 x 114.3 cm | 46.25" x 45"

PEN FRONT WEIGHT

14.5 kg | 32 lbs

SIDE PANEL OPTIONS  
Fits all Calf-Tel Pen side sizes



Solid




Windows




Airmax


BACK PANEL OPTIONS



Wire - 9 kg | 20 lbs



Steel - 15 kg | 32 lbs



Enhanced - 13 kg | 29 lbs

OPTIONAL  
ACCESSORIES



Chute



Direct Attach Pail






# S-SERIES

# 15 | 54



0 – 10 days



INTERIOR SIZE IN M <sup>2</sup>	1.5
IMPERIAL DIMENSIONS	5' x 4'
OUTSIDE L x W x H	152 x 114.3 x 114.3 cm 59.5" x 45" x 45"
INSIDE USABLE CALF SPACE L x W x H	137 x 98.56 x 99.5 cm 54" x 38.8" x 39.2"
STARTER UNIT WEIGHT	31 kg   68.5 lbs
WEIGHT WITH WHEELS	44 kg   98 lbs
WEIGHT WITH LEGS	39 kg   86 lbs

## BASE OPTIONS



None  
Extrusion



Wheels



Legs

## OPTIONAL FLOOR



Floor must be used with base

## STANDARD VENTS



Upper Back



Lower Back

## OPTIONAL ROOF



None



Roof



Roof with Heat Lamp

## OPTIONAL FRONT WHEELS



Front Wheels for 15154 Only

## OPTIONAL BOTTLE




Chute



Wire

PRODUCT FEATURES & BENEFITS



S-SERIES



ROBUST REAR HINGE – EASILY FLIP-UP STARTER UNITS AND CLEAN THEM OUT



OPTIONAL FRONT WHEELS – CONVENIENTLY TILT STARTER UNIT FOR EASY MOBILITY AND RELOCATION







# S-SERIES

Raised Base with Wheels

# 30 | 58



0 – 10 days



INTERIOR SIZE IN M <sup>2</sup>	3
IMPERIAL DIMENSIONS	5' x 8'
OUTSIDE L x W x H WITH LEGS	152 x 243.8 x 181 cm 60" x 96" x 71.5"
OUTSIDE L x W x H WITH WHEELS	152 x 243.8 x 191.8 cm 60" x 96" x 75.5"
INSIDE USABLE CALF SPACE L x W x H	274 x 197 x 99.5 cm 108" x 77.6" x 39.2"
STARTER UNIT WEIGHT	31 kg   68.5 lbs
WEIGHT WITH WHEELS	97 kg   214 lbs
WEIGHT WITH LEGS	92 kg   202 lbs

## BASE OPTIONS



Wheels



Legs

## OPTIONAL FLOOR



Floor must be used with base

## STANDARD VENTS



Upper Back



Lower Back

## OPTIONAL ROOF



None



Roof



Roof with Heat Lamp

## OPTIONAL BOTTLE



Chute




Wire





S-SERIES



**GIVING PRODUCERS A CUSTOMIZABLE OPTION TO CARE FOR NEWBORN CALVES BECAME AN EVIDENT NEED IN 2020.** The Starter System was built with both the calf and producer in mind with many built-in features and additional options. The Starter System helps complete the full Calf-Tel Calf Program, calf housing from birth beyond weaning.


CELEBRATING  
**40**  
YEARS



C-SERIES

# CLASSIC SYSTEM

ALL CLASSIC SYSTEM FENCES FIT  
20|64, 24|74 AND 35|85  
CALF-TEL HUTCHES



## Classic **ACCESS** Front with Wire Fence

OUTSIDE L x W x H 183 x 122 x 107 cm | 72" x 48" x 42"

## CLASSIC Wire Fence

OUTSIDE L x W x H 183 x 122 x 107 cm | 72" x 48" x 42"







C-SERIES

Elite **ACCESS** Front  
with Wire Fence

OUTSIDE L x W x H 183 x 132 x 106 cm | 72" x 52" x 42"

FITS  
**24 | 74 AND 35 | 85**  
CALF-TEL HUTCHES





C-SERIES


# ELITE SYSTEM

FITS  
24 | 74 AND 35 | 85  
CALF-TEL HUTCHES



## ELITE Single Fence

OUTSIDE L x W x H 160.35 x 130.50 x 101.6 cm | 63.13" x 51.38" x 40"



HUTCH TIPPED INTO FENCE



FENCE TIPPED OVER HUTCH





C-SERIES

## ELITE Pairing Fence

OUTSIDE L x W x H 161.56 x 278.15 x 101.6 cm | 63.31" x 109.51" x 40"



HUTCH TIPPED INTO FENCE



FENCE TIPPED OVER HUTCH



ELITE PAIRING GATE OPENED

FITS  
**24 | 74 AND 35 | 85**  
 CALF-TEL HUTCHES

FITS  
**24 | 74 AND 35 | 85**  
 FULL OPEN AND OFFSET ENTRY  
 CALF-TEL HUTCHES OR  
**20 | 64**  
 FULL OPEN CALF-TEL HUTCHES


## ELITE Direct Attach Hutch Access

OUTSIDE L x W x H 72.39 x 111.76 cm / 28.5" x 44"





# C-SERIES



## COMFORT FENCE

DIMENSIONS

145 x 123 x 100 cm | 57" x 47" x 39"

FITS

14 | 53, 20 | 46,  
24 | 74 AND 35 | 85

CALF-TEL HUTCHES




Optional wheel set for Calf-Tel® Comfort Fence  
(can also be retrofitted).



# MULTIMAX FENCE



Comfort Fence for 54198 only available by special order in US. Please contact your Calf-Tel representative for more information.



C-SERIES





Optional milk bar, height-adjustable, for 5 nipple pails and stainless steel trough with drain valve (can also be retrofitted).

# CALF-TEL® SPECIAL ORDER PRODUCTS

CONTACT YOUR CALF-TEL REPRESENTATIVE FOR MORE INFORMATION AND ORDERING INSTRUCTIONS.

## 14 | 53



## 20 | 64 EFI


INTERIOR SIZE IN M <sup>2</sup>	1.4
IMPERIAL DIMENSIONS	5' x 3.5'
OUTSIDE L x W x H	147 x 109 x 117 cm 58" x 43" x 46"
INSIDE USABLE CALF SPACE L x W x H	140 x 102 x 104 cm 55" x 40" x 41"
WEIGHT	17 kg   37 lbs

INTERIOR SIZE IN M <sup>2</sup>	2.0
IMPERIAL DIMENSIONS	6' x 4'
OUTSIDE L x W x H	187 x 118 x 137 cm 73.5" x 46.5" x 54"
INSIDE USABLE CALF SPACE L x W x H	179 x 110 x 122 cm 70.5" x 43.5" x 48"
WEIGHT	19 kg   42 lbs



# 17 | 54

## PRODUCT FEATURES & BENEFITS



\*hutch only




SPECIAL ORDER



Easy to move, manage and maintain your units. Much easier to clean than wood hutches. Minimizes bedding, feed times and general labor. Fits inside of a standard 8' x 5' wood base and provides more room for the calf.



Outer dimensions





# CALF-TEL® ACCESSORIES



## More information

For more information about Calf-Tel® Accessories visit our website or talk to your local distributor.

**Calf-Tel.com**



Grain Feeder



**Direct Attach Pail**  
Attaches to Calf-Tel® Fence Panel and ECS without the need for extra hardware or pail holder. 8 QT capacity. Available in gray and black.



Plastic Latch and Hardware



Star Washer



J-Shaped Metal Latch for Flat Back Door



Feed Door Rod



Pen Stickers




Starter Bowl



Feed Access Door Latch and Hardware



Hardware for Calf Fence Panel



Rear Bedding Door Wire



Calf Tethering Kit



Calf Collar



43 Inch Cable for Calf Tethering Kit



70 Inch Cable for Calf Tethering Kit



Hay Rack: Pen, Fence & Hutch Mount available.



Pro and Deluxe Replacement Base.



L-Rod Attaches fence to hutch.



MultiMax Lifting Bracket.



Pen System Wall Bracket.



6.3 Quart / 6 L Nipple Pail fence mounted.



8.5 Quart / 8 L Heavy Duty Plastic Pail.



Feed-Saver Cover fence mounted.



Heavy duty front Door. For Calf-Tel® 24174 and 35185.



Group Loop for 6' and 7' Pen Systems.



Thinsulate™ Lined Calf Blanket.



Heavy Duty Double Pail Holder, Hutch Mount.



Heavy Duty Single Pail Holder, Hutch Mount.



Double Pail Holder, Fence Mount.



Single Pail Holder, Fence Mount.



Bottle with Nipple in 2, 3, or 4 quart size.



Chute Style Bottle Holder: Pen, Fence & Hutch Mount available.



Bottle Holder and Attachments: Pen, Fence & Hutch Mount available.



Fluid Feeders, 1 gallon size.



Lower Hutch Vent Covers. For Calf-Tel® 24174 and 35185.



Pro and Deluxe Rear Vent Door. Not for: Pro II / Deluxe II.



Deluxe Hutch Side Door. Not for: Pro II / Deluxe II



Pro II and Deluxe II Rear Bedding Door. Only for: Pro II / Deluxe II.



Deluxe II Hutch Side Door. Only for Calf-Tel® 24174.



54198 Rear Vent Door.



# TIMELINE: 1980-2021



1981

**GENERATION I CALF-TEL**  
Our first hutch is introduced.



1983

**GENERATION II CALF-TEL**  
Back of the hutch is updated.



1987

**GENERATION III DELUXE & BASIC CALF-TEL HUTCH INTRODUCTION**  
New features including ridge vent, rear vent, feed options & threshold.



1991

**GENERATION IV DELUXE & BASIC CALF-HUTCH**  
Hutches now manufactured in one piece, no rivets!



1996

**GENERATION V PRO**  
New Pro model turnkey calf raising system, fence and accessories.



2012

**GENERATION I XXL CALF-TEL HUTCH**  
The largest hutch on the market.



2012

**GENERATION I ECO CALF-TEL HUTCH**  
Mid-size hutch space-saving and economical.



2012

**GENERATION II INDOOR PEN SYSTEM**  
Updated pen front with enhanced features.



2013

**PREMIUM FENCE**  
Heavy duty fence with functioning door and optional wheels.



2015

**GENERATION III PEN SYSTEM**  
Updated front with swing in/out door, XL handle & snap.



2021

**CLASSIC ACCESS FRONT WITH WIRE FENCE**  
Light-weight, 3-piece design for easy assembly and accessibility.



2021

**ELITE ACCESS FRONT WITH WIRE FENCE**  
Wire fence sides and heavy-duty front for labor efficiency.



2021

**ELITE SINGLE FENCE**  
Heavy-duty design for durability and longevity.



2021

**ELITE PAIRING FENCE**  
Perfect for pairing.



1997

**GENERATION I MULTIMAX TRANSITIONAL GROUP HOUSING**

Group Housing hutch that can fit 4-6 calves.



2006

**GENERATION I INDOOR PEN SYSTEM**

Bringing calves indoors has never been easier.



2006

**COMPACT CALF-TEL HUTCH**

Our smallest hutch, an efficient solution for short-term needs.



2009

**GENERATION VI PRO II & DELUXE II CALF-TEL HUTCH**

New rear bedding door and ridge vents.



2011

**INDOOR PEN AIRMAX BACK**

New back for pen system with added ventilation.



2016

**ECS – ELEVATED CALF SYSTEM**

Climate controlled, wood alternative, flexible housing.



2018

**INDOOR PEN AIRMAX SIDES**

Maximum ventilation from all angles.



2019

**CALF-TEL HUTCH EXTRUSION BASE**


All plastic hutch, option with no pipe base.



2020

**15154 & 30158 CALF-TEL STARTER SYSTEM**

Short-term housing for customized care.



2021

**ELITE DIRECT ATTACH HUTCH ACCESS**

Housing and feeding accommodations all in one.



2021

**INDOOR PEN BREEZEWAY PANELS**

New metal front and back design for pen system.



2021

**GENERATION VII 24174 CALF-TEL HUTCH**

New customizable features including mega vent door, adjustable top ridge vent, upgraded flat back door, added third rear lower vent, and redesign of hutch sides.



### Ten Year Limited Warranty

10 Year Limited Warranty on all housing systems:

Calf-Tel® O-Series: 20/64 (ECO), 24/74 (Pro II, Deluxe II), 35/85 (XXL)

Calf-Tel® I-Series: 16/44 (Maternity-Pen), 19/54, 22/64, 26/74, 30/84 (Pen-System)

Calf-Tel® Group Housing: 54/98 (MultiMax)

Calf-Tel® Special Order Products: 14/53 (Compact), 20/64 EFI, 17/54 (ECS)

Made by



**HAMPEL**

### Hampel – Manufacturer of Calf-Tel® Products.

Hampel is a manufacturer of thermoformed plastic products in Germantown, Wisconsin. Founded in 1976 by Lance T. Hampel, specializing in heavy gauge, deeply drawn thermoformed plastics that are sold on a proprietary and custom basis.

### Calf-Tel® USA Corporate Office

W194 N11551 McCormick Drive  
Germantown, Wisconsin 53022

Calf-Tel.com

(800) 558-8558

+1 262 255-4540

E-Mail: [sales@Calf-Tel.com](mailto:sales@Calf-Tel.com)

### Calf-Tel® Europe

Unter der Halde 24  
D-89610 Oberdischingen  
Deutschland

Calf-Tel.com/de

+49 (0)7305 926 780

E-Mail: [Calf-Tel@HampelGmbH.com](mailto:Calf-Tel@HampelGmbH.com)

### International Distribution:

For a complete list of international distribution partners, visit our website.

**Calf-Tel.com**









**HEART MEETS SMART**




W194 N11551 McCormick Drive  
Germantown, Wisconsin 53022

**Calf-Tel.com**

(800) 558-8558

E-mail : [sales@Calf-Tel.com](mailto:sales@Calf-Tel.com)



CT-2101E